CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Date

UL-US-2209556-1 E525409-20220503 16-May-2022

Issued to: LITEK Srl via delle Industrie 3b Poggio Torriana, RN 47824 Italy

This is to certify that representative samples of

IFAR - Light-emitting-diode Luminaire Retrofit Kits See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1598C, 1st Ed., Issue Date: 2014-01-16, Revision Date: 2017-07-12

Additional Information: See the UL Online Certifications Directory at <u>https://iq.ulprospector.com</u> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Bruce Mahrenholz, Director North American Certification Program

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Date

UL-US-2209556-1 E525409-20220503 16-May-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Modulo Acorn, MA028, AA BBB CC DDD E F G H_UL	LED Luminaire Retrofit Kits
TE VIE VIE VIE VIE VIE VIE	
Where:	
AA is a 2 digits code that represents the series type as	
follows:	
-MA: Series Modulo Acorn	
BBB is a 3 digits code that represents the wattage	
version as follows:	
-028: model MA028	
-041: model MA041	
CC is a 2 digits code that represents the optic version as	
follows:	
-AY	
DDD is a 3 digit code that represents the LED current as	
follows:	
-250: 250 mA	
-350: 350 mA	
E is a 1 digit code that represents the light temperature	
color as follows:	
-2: 2700K	
-3: 3000K	
-4: 4000K	
F is a 1 digit code that represents the paint color as	
follows:	
-f, not applicable	
G is a 1 digit numerical code that represents the	
luminaire control as follows:	
1, -3, -4, -7, -8	
H is a 1 digit numerical code that represents the output	
type as follows:	
3: Class 2	N. N. N. N. N. N.
Modulo Acorn, MA041, AA BBB CC DDD E F G H UL	LED Luminaire Retrofit Kits

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Date

UL-US-2209556-1 E525409-20220503 16-May-2022

Where:

AA is a 2 digits code that represents the series type as follows: -MA: Series Modulo Acorn

BBB is a 3 digits code that represents the wattage version as follows: -028: model MA028 -041: model MA041

CC is a 2 digits code that represents the optic version as follows: -AY

DDD is a 3 digit code that represents the LED current as follows: -250: 250 mA -350: 350 mA


E is a 1 digit code that represents the light temperature color as follows: -2: 2700K -3: 3000K -4: 4000K

F is a 1 digit code that represents the paint color as follows: -f, not applicable

G is a 1 digit numerical code that represents the luminaire control as follows: - -1, -3, -4, -7, -8

H is a 1 digit numerical code that represents the output type as follows: - -3: Class 2

Ramples



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

